

TWIST
haute couture

TWIST-BW
haute couture


NovaBell[®]
Ceramiche Gruppo Bellei





TAYLOR MADE STYLE

*Grès porcellanato
effetto tessuto,
per vestire gli ambienti
di uno stile unico.
Una elegante texture matt
in quattro tinte;
un bianco e un nero
dalla brillante superficie lappata.*

Fabric-look porcelain stoneware to decorate interiors in unique style. An elegant matt texture in four shades; a white and a black with a gleaming, honed surface.

Grès cérame effet tissu pour habiller l'espace avec un style unique. Une élégante texture mate en quatre tonalités ; un blanc et un noir avec une éclatante finition rodée.

Feinsteinzeug in Textilloptik für einzigartige Raumgestaltungen. Eine elegante matte Textur in vier Farben. Weiß und Schwarz in einer glänzenden geläpften Oberfläche.

Этот керамогранит с эффектом ткани наделяет интерьеры уникальным стилем. Элегантная матовая текстура предлагается в четырех цветах, черный и белый цвет имеют глянцевую притертую поверхность.



chill-out zone

HOME IS
WHEREVER
I AM WITH
YOU





HOME THERAPY

La semplicità è il segreto del vero stile:
pochi elementi accuratamente selezionati, armonia nei dettagli e nei colori.
Le superfici sono così piacevoli da toccare.

Simplicity is the secret of genuine style:
just a few carefully chosen items, with
attractively matched details and colours.
Surfaces that feel so good to the touch.

La simplicité est le secret du vrai style :
peu d'objets choisis avec soin, l'harmonie
des détails et des couleurs.
Les surfaces sont si agréables à toucher.

Einfachheit ist das Geheimnis wahrer
Eleganz: sparsam und sorgfältig
ausgewählte Elemente, stimmige Farben
und Details.
**Oberflächen mit einer angenehmen
Haptik.**

Настоящий стиль кроется в простоте
немногих, тщательно отобранных
элементов, гармоничного сочетания
деталей и цветов.
**Очень приятные на ощупь
поверхности.**

culture zone





Appena disse
"ah, ah" nel
l'agosto scorso:
"ah, ah"
Un sorriso largo che
lo sorreggeva fino alla
sveglia e disse:
"I" carico da parte
una situazione "magia
spiega", lo suo un
cambio di carica in
un suo caso stesso
divano non sempre, ma
basta per sfidare come
sostiene in un "magia
siti" spiega, più in
tutto in mano.





PAGES, SPACE, SILENCE

Ogni pagina letta è un dono di ricchezza, per chi sa cogliere il valore delle parole.
I grandi moduli 80x80cm scandiscono le geometrie dello spazio.

Every page read is a rich gift
for those who appreciate the value of
words.
**The large 80x80 cm modules define the
geometries of space.**

Chaque page lue est un don de richesse
pour tous ceux qui savent apprécier la
valeur des mots.
**Les grands modules 80x80 cm rythment
les géométries de l'espace.**

Jede gelesene Seite ist eine
Bereicherung,
wenn man den Wert der Worte erkennt.
**Die großen Module 80x80 cm
bestimmen die Raumgeometrien.**

Каждая прочитанная страница
является хорошим подарком тем, кто
умеет ценить значение слов.
**Большие модули 80x80 см
определяют геометрию пространства.**





shop
zone





FIND MY STYLE

Un luogo speciale, dove trovare gli accessori che rendono unico il nostro outfit.
Questo gres porcellanato effetto tessuto è un'idea perfetta per un punto vendita.


A special place, where we can find the accessories to make our outfits unique.
This fabric-look porcelain stoneware is perfect for a store.

Un endroit spécial, où dénicher les accessoires qui singularisent notre look.
Ce grès cérame effet tissu est une idée parfaite pour un point de vente.

Eine Fundgrube für Accessoires, für einen einzigartigen Look.
Das Feinsteinzeug in Textiloptik ist ideal für die Raumgestaltung von Geschäften.

Специальное место, где можно найти те аксессуары, делающие наш образ неповторимым.
Этот керамогранит с эффектом ткани великолепно подходит для оформления торговой точки.

relax zone



is
everything
art?





A CUP OF COFFEE

Un angolo di casa accuratamente arredato,
dove celebrare i riti quotidiani che ci fanno apprezzare il mondo.
E la comodità di un pavimento che non si macchia, si pulisce in un lampo e non evidenzia lo sporco.

A corner of the home furnished with care, for those daily rituals that make the world a good place to be.
And the convenience of a flooring that does not stain, takes only a moment to clean and does not show the dirt.

Un petit coin de maison meublé avec soin, où accomplir les rituels quotidiens qui nous font apprécier le monde.
L'utilité pratique d'un revêtement de sol qui ne se tache pas, se lave en un éclair et ne laisse pas voir la saleté.

In einer liebevoll eingerichteten Wohlfühlecke werden die Rituale des Alltags zelebriert, die das Leben so schön machen.
Der Komfort eines Bodenbelags, der fleckbeständig ist, sich im Handumdrehen reinigen lässt und den Schmutz kaschiert.

В этом тщательно обставленном уголке жилья совершаются те повседневные ритуалы, благодаря которым мир нам улыбается.
Чрезвычайное удобство пола, который не пачкается, чистится за считанные секунды, и на котором грязь становится незаметной.

beauty
zone




TWIST-BW
haute couture

03



MOON 40x80 / 15^{3/4}x31^{1/2} - DARK 40x80 / 15^{3/4}x31^{1/2} -

DARK CASCATA GLITTER - DARK RIPOSO GLITTER 40x80 / 15^{3/4}x31^{1/2} - DARK 80x80 / 31^{1/2}x31^{1/2}





LOVELY DETAILS

Piccoli dettagli, decorazioni, accessori.

Trasformare una semplice stanza in un luogo che sentiamo profondamente nostro.

**Due colori componibili, capaci di trasformare un ambiente:
totalmente bianco, tutto nero, bianco e nero.**

Small details, decorations, accessories.
Transforming an ordinary room into a
place profoundly our own.
**A team of two great colours that can
transform a room: totally white, totally
black, black and white.**

Les petits détails, les décorations, les
accessoires. Transformer une simple
pièce en lieu profondément personnel.
**Deux couleurs assorties, à même de
métamorphoser l'espace : blanc total,
noir total, ou noir et blanc.**

Kleine Details, Dekorationen, Zubehör.
Der Raum verwandelt sich in eine ganz
persönliche, individuelle Lebenswelt.
**Zwei kombinierbare Farben für
unterschiedliche Raumgestaltungen:
Total-White, Total-Black oder
Black&White.**

Небольшие детали, узоры, аксессуары
превращают простое помещение
в место, которое становится по-
настоящему нашим.
**Два сочетающихся друг с другом
цвета могут полностью изменить
интерьер, оформив его полностью
в белый, полностью в черный, в
черный и белый цвет.**



BLACK AND WHITE, BRILLIANT AND CHARMING.

La classe inimitabile del bianco e nero scintilla di preziosi riflessi cangianti, creati della superficie lappata.

Il quadrato 80x80, il rettangolo 40x80: accoppiata perfetta per pavimento e rivestimento.

The inimitable class of black and white sparkles with the exquisite iridescent glints of the honed surface.
The 80x80 cm square and 40x80 cm rectangle tiles: the perfect combination for floor and walls.

Die unnachahmliche Klasse von Schwarz und Weiß erhält durch die geläppte Oberfläche kostbare Glanzakzente.
Das Quadrat 80x80 cm und das Rechteck 40x80 cm: ein perfektes Team für Bodenbelag und Wandverkleidung.

La classe sans égale du blanc et du noir s'illumine des superbes reflets chatoyants de la finition rodée.
Le carré 80x80 cm, le rectangle 40x80 cm : le couple parfait pour les sols et les murs.

Неповторимое очарование черного и белого сверкает ценными переливчатыми отблесками, образуемыми притертой поверхностью.
Квадрат 80x80 см, прямоугольник 40x80 см: идеальное сочетание на полу и на стенах.



cm. 80x80
inch 31¹/₂x31¹/₂



cm. 40x80
inch 15³/₄x31¹/₂



cm. 40x40
inch 15³/₄x15³/₄



cm. 13x40
inch 5¹/₈x15³/₄



80x80 - 31¹/₂x31¹/₂
TWT 88LR Moon Lappato/Rettificato

02
1110



40x40 - 15³/₄x15³/₄
TWT 80LR Moon Lapp./Rett.

06
1115



30x30 - 11¹³/₁₆x11¹³/₁₆
TWT 885K Mosaico 5x5 Moon Lapp.



10
3125



40x80 - 15³/₄x31¹/₂
TWT 84LR Moon Lappato/Rettificato

04
1115



13x40 - 5¹/₈x15³/₄
TWT 83LR Moon Lapp./Rett.

06
1120



31x25 - 12³/₁₆x9¹³/₁₆
TWT 883K Mosaico 5x5 Chevron Moon Lapp.




06
3150



7x80 - 31¹/₂x31¹/₂
TWT B88K Battiscopa Moon Lappato/Rettificato

08
290



13x40 - 5¹/₈x15³/₄
TWT B83K Bull-Nose Moon Lapp./Rett.

06
290



40x80 - 15³/₄x31¹/₂
TWT G80K Gradino Inciso Moon Lapp.

04
590



Lappato. Honed / Adouci / Halbpolierte / Semi-pulido / Полуполированный

TECHNICAL DATA Rettificato. Rectified. / Rectifié. / Geschliffen. / Rectificado. / Калиброванный.

DCOF
WET ≥ 0.42

BCR
DRY > 0.40
WET > 0.40



40x80 - 15³/₄x31¹/₂
TWT 825K Cascata Glitter Moon

02
654



40x80 - 15³/₄x31¹/₂
TWT 824K Composizione Geometrie Glitter Moon 2 pz.

1q.
678




40x80 - 15³/₄x31¹/₂
TWT 826K Riposo Glitter Moon

02
654



0,5x80 - 1¹/₄x31¹/₂
TWT M00K Matita Glitter Silver

10
360



30x30 - 11¹³/₁₆x11¹³/₁₆
TWT 889K Mosaico
Intreccio Moon

10
3125



28x28 - 11"x11"
TWT 980K Freccia
Moon/Dark

10
3170



28x28 - 11"x11"
TWT 982K Mosaico
Esagona Moon/Dark



06
3180

SCHEMI DI POSA MOSAICO GEOMETRICO / Laying Schemes Mosaico Geometrico / Legebeispiele Mosaico Geometrico /
Calpinage Mosaico Geometrico / Esquemas de colocación Mosaico Geometrico / Схемы укладки Mosaico Geometrico



30x30 - 11¹³/₁₆x11¹³/₁₆
TWT 985K Mosaico
Geometrico Moon/Dark

06
3160





cm. 80x80
inch 31¹/₂x31¹/₂



cm. 40x80
inch 15³/₄x31¹/₂



cm. 40x40
inch 15³/₄x15³/₄



cm. 13x40
inch 5¹/₈x15³/₄



80x80 - 31¹/₂x31¹/₂
TWT 98LR Dark Lappato/Rettificato



40x40 - 15³/₄x15³/₄
TWT 90LR Dark Lapp./Rett.



30x30 - 11¹³/₁₆x11¹³/₁₆
TWT 995K Mosaico 5x5 Dark Lapp.




40x80 - 15³/₄x31¹/₂
TWT 94LR Dark Lappato/Rettificato



13x40 - 5¹/₈x15³/₄
TWT 93LR Dark Lapp./Rett.



7x80 - 31¹/₂x31¹/₂
TWT B98K Battiscopa Dark Lappato/Rettificato



13x40 - 5¹/₈x15³/₄
TWT B93K Bull-Nose
Dark Lapp./Rett.



40x80 - 15³/₄x31¹/₂
TWT G90K Gradino Inciso Dark Lapp.






Lappato. Honed / Adouci / Halbpolierte / Semi-pulido / Полуполированный
TECHNICAL DATA Rettificato. Rectified. / Rectifié. / Geschliffen. / Rectificado. / Калиброванный.

DCOF
WET ≥ 0.42

BCR
DRY > 0.40
WET > 0.40



40x80 - 15³/₄x31¹/₂
TWT 925K Cascata Glitter Dark

02
654



40x80 - 15³/₄x31¹/₂
TWT 924K Composizione Geometrie Glitter Dark 2 pz.

1q.
678




40x80 - 15³/₄x31¹/₂
TWT 926K Riposo Glitter Dark

02
654



0,5x80 - 1¹/₄x31¹/₂
TWT M00K Matita Glitter Silver

10
360



30x30 - 11¹³/₁₆x11¹³/₁₆
TWT 989K Mosaico
 Intreccio Dark

10
3125



28x28 - 11"x11"
TWT 980K Freccia
 Moon/Dark

10
3170



28x28 - 11"x11"
TWT 982K Mosaico
 Esagona Moon/Dark



06
3180

SCHEMI DI POSA MOSAICO GEOMETRICO / Laying Schemes Mosaico Geometrico / Legebeispiele Mosaico Geometrico /
 Calpinage Mosaico Geometrico / Esquemas de colocación Mosaico Geometrico / Схемы укладки Mosaico Geometrico



30x30 - 11¹³/₁₆x11¹³/₁₆
TWT 985K Mosaico
 Geometrico Moon/Dark

06
3160



TWIST



cm. 80x80
inch 31¹/₂x31¹/₂




cm. 40x80
inch 15³/₄x31¹/₂



80x80 - 31¹/₂x31¹/₂
TWT 18RT Pearl Rettificato




40x80 - 15³/₄x31¹/₂
TWT 14RT Pearl Rettificato



40x80 - 15³/₄x31¹/₂
TWT G10K Gradino Inciso Pearl




7x80 - 31¹/₂x31¹/₂
TWT B18K Battiscopa Pearl Rettificato



80x80 - 31¹/₂x31¹/₂
TWT 28RT Shark Rettificato PEI IV




40x80 - 15³/₄x31¹/₂
TWT 24RT Shark Rettificato PEI IV



40x80 - 15³/₄x31¹/₂
TWT G10K Gradino Inciso Shark



7x80 - 31¹/₂x31¹/₂
TWT B28K Battiscopa Shark Rettificato





Naturale. Naturale. / Matt. / Mat Natural. / Natural. / Натуральный.

TECHNICAL DATA Rettificato. Rectified. / Rectifié. / Geschliffen. / Rectificado. / Калиброванный.

DCOF
WET ≥ 0.42

BCR
DRY > 0.40
WET > 0.40



80x80 - 31"1/2x31"1/2

TWT 48RT Sand Rettificato

02

1090




40x80 - 15"3/4x31"1/2

TWT 44RT Sand Rettificato

04

1095



40x80 - 15"3/4x31"1/2

TWT G40K Gradino Inciso Sand

04

520




7x80 - 31"1/2x31"1/2

TWT B48K Battiscopa Sand Rettificato

08

260



80x80 - 31"1/2x31"1/2

TWT 68RT Ecrú Rettificato

02

1090



40x80 - 15"3/4x31"1/2

TWT 64RT Ecrú Rettificato

04

1095



40x80 - 15"3/4x31"1/2

TWT G60K Gradino Inciso Ecrú

04

520




7x80 - 31"1/2x31"1/2

TWT B68K Battiscopa Ecrú Rettificato

08


260



The International reference standards: ANSI - ASTM **NATURALE**

The values of the main technical characteristics measured on our products, compared with international standards, are clearly shown and reproduced on our contractual documents (catalogs, price lists, etc.).


The values given in this document are common to groups of articles or series of our tiles and therefore are to be used as a guide for a first orientation in choosing the product. If required, the specific values for a given product and a determined supply can be provided depending on its intended use, when formally brought to our attention by notice in writing.


Characteristics and Test methods 	Requirements ANSI A 137.1	Our general values
Determination of water absorption - (ASTM C 373)	Average value $E_b \leq 0,5\%$	Average value $\leq 0,5\%$
Classification	Definition § 3.0	Porcelain tiles
		Physical properties
Breaking strength - (ASTM C 648)	Average ≥ 250 lbf (1.11 kN) Individual ≥ 225 lbf (1.00 kN)	Complies
Visible Abrasion - (ASTM C 1027)	As reported	PEI IV: Shark PEI V: Pearl - Sand - Ecrú
Thermal shock resistance - (ASTM C 428)	Pass	Complies
Crazing resistance - (ASTM C 424)	Pass	Complies
Resistance to freeze/thaw cycling - (ASTM C 1026)	As reported	Resistant
DCOF Resistance - (ANSI A 137.1 Section 9.6)	≥ 0.42 ⁽¹⁾	DCOF ≥ 0.42
Bond strength - (ASTM C 482)	≥ 50 psi (0.34 MPa)	> 1 MPa
Color Uniformity - (ASTM C 609 and ANSI A 137.1 section 9.3) ⁽²⁾	V0 - 3 Judds	See the specific section
		Chemical properties
Chemical resistance - (ASTM C 650)	As reported	Resistant
Stain resistance - (ASTM C 1378)	As reported	Resistant
		Dimensions - Calibrated tiles
Dimensions - (ASTM C 499) - (ASTM C 485) - (ASTM C 502)	See ANSI A 137.1 - Tab.10	Complies
		Dimensions - Rectified tiles
Dimensions - (ASTM C 499) - (ASTM C 485) - (ASTM C 502)	See ANSI A 137.1 - Tab.10	Complies

(1) For level interior spaces expected to be walked upon when wet - (2) For V0 tiles only



**TWIST
NATURALE**


 Utilizzare il **QR CODE** per scaricare le schede tecniche


 Use the **QR CODE** to download data sheets


 **QR CODE** benutzen um die technische datenblätter runter zu laden



**TWIST B/W
LAPPATA**

 Veuillez utiliser le **QR CODE** pour télécharger les fiches techniques

 Utilizar el **QR CODE** para descargar las fichas técnicas

 Используйте QR-код для скачивания технических характеристик




The international reference standards: ISO - EN

NATURALE

The values of the main technical characteristics measured on our products, compared with international standards, are clearly shown and reproduced on our contractual documents (catalogs, price lists, etc.).

The values given in this document are common to groups of articles or series of our tiles and therefore are to be used as a guide for a first orientation in choosing the product. If required, the specific values for a given product and a determined supply can be provided depending on its intended use, when formally brought to our attention by notice in writing.

Characteristics and Test methods 	Requirements EN 14411 ⁽¹⁾ - G/ISO 13006 ⁽²⁾ - G	Our general values
Determination of water absorption - (ISO 10545-3)	Average value $E_b \leq 0,5\%$ / Individual maximum 0,6%	Average value and individual maximum $< 0,5\%$
Classification	Definition § 3.2 and § 3.7	BI_a - Porcelain tiles
		Physical properties
Modulus of rupture - (ISO 10545-4)	Average ≥ 35 N/mm ²	≥ 35 N/mm ²
Breaking strength - (ISO 10545-4)	Average ≥ 1300 N for thickness $\geq 7,5$ mm Average ≥ 700 N for thickness $< 7,5$ mm	Complies
Abrasion resistance - (ISO 10545-7)	Abrasion class and cycles passed	PEI IV: Shark PEI V: Pearl - Sand - Ecreu
Coefficient of linear thermal expansion (ISO 10545-8)	Declared value ⁽¹⁾ / Test method available ⁽²⁾	$< 7,1 \times 10^{-6}$ °C ⁻¹
Thermal shock resistance - (ISO 10545-9)	Pass according to EN ISO 10545-1 ⁽¹⁾ / Test method available ⁽²⁾	Complies
Crazing resistance - (ISO 10545-11)	Pass according to EN ISO 10545-1 ⁽¹⁾ / Required ⁽²⁾	Complies
Frost resistance - (ISO 10545-12)	Pass according to EN ISO 10545-1 ⁽¹⁾ / Required ⁽²⁾	Complies
Moisture expansion - (ISO 10545-10)	Declared value ⁽¹⁾ / Test method available ⁽²⁾	$\leq 0,2$ mm/m
Small colour differences (ISO 10545-16)	$\Delta E_{cmc} < 0,75^{(1)}$	If agreed
Impact resistance - (ISO 10545-5)	Declared value ⁽¹⁾ / Test method available ⁽²⁾	COR $> 0,75$
Reaction to fire	Class A1 or A1 _{FL} ⁽¹⁾	A1 _{FL} Classified Without Testing (CWT) - 96/603
		Chemical properties
Chemical resistance - (GL) (ISO 10545-13)		
Resistance to low and high concentrations of acids and alkalis	Declared value ⁽¹⁾ / Manufacturer is to state classification ⁽²⁾	Resistant (see "Maintenance and care" section)
Resistance to household chemicals and swimming pool salts	Minimum class B	G A
Resistance to staining (ISO 10545-14)	Minimum class 3	≥ 4 (see "Maintenance and care" section)
Release of dangerous substances (ISO 10545-15)	Declared value ⁽¹⁾ / Test method available ⁽²⁾	Pb $< 0,1$ / Cd $< 0,01$ mg/dm ²
		Dimensions and surface quality
Dimensions - (ISO 10545-2)	See ANNEX G	Complies
Surface quality - (ISO 10545-2 § 7)	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles	Complies


(1) Requirements according to EN 14411

(2) Requirements according to ISO 13006


Test methods	Requirements and references	Our general values
Determination of anti-slip properties - Workrooms and fields of activities with raised slip danger, walking method - Ramp test (DIN 51130) - Germany	BGR / ASR From R9 to R13	R 9
Determination of anti-slip properties - Wet-loaded barefoot areas - Walking method - Ramp test (DIN 51097) - Germany	GUV-I 8527 A - B - C	-
Dynamic Coefficient Friction wet and dry condition (BCR - ex BCRA) - Italy	DM n. 236 / 1989 $\mu > 0,40$	$\mu > 0,40$


 La tabella in italiano con i dati tecnici è scaricabile su www.novabell.it



 The English language technical specification for each collection can be downloaded from www.novabell.it

 Die Tabelle in deutscher Sprache kann auf www.novabell.it heruntergeladen werden.

 Si vous le souhaitez, téléchargez le tableau contenant les données techniques en français en allant sur www.novabell.it

 Descargue la tabla de datos técnicos en español, disponible en www.novabell.it

 Таблицу на русском языке с техническими данными можно скачать с сайта www.novabell.it

	SCATOLA / BOX			PALLET			
	pz	m2	kg	box	m2	kg	≡
80x80	2	1,280	27,1 	40	51,200	1085	10,5
40x80	4	1,280	27,1 	48	61,440	1302	10,5
40x40	6	0,960	20,5	36	34,560	738	10,5
13x40	6	0,312	6,8	78	24,336	530	10,5

MERCHANDISING



PG TWTf1



PG TWTf2



PG TWT80 / PG TWT90



PG TWT81 / PG TWT91



PG TWTfT



80x80



40x80



SCTWT80

LEED® CERTIFICATION COMPLIANT

TWIST E' UN PRODOTTO CON PARTICOLARI CARATTERISTICHE DI ECOSOSTENIBILITA', CHE CONTRIBUISCE ALL'OTTENIMENTO DEI CREDITI PER LA CERTIFICAZIONE LEED (LEADERSHIP IN ENERGY AND ENVIROMENTAL DESIGN).

TWIST IS A PRODUCT WITH PARTICULAR ENVIRONMENTAL SUSTAINABILITY CHARACTERISTICS, THAT HELPS IN OBTAINING POINTS FOR LEED (LEADERSHIP IN ENERGY AND ENVIRONMENTAL DESIGN) CERTIFICATION.

TWIST IST EIN AUSGESPROCHEN UMWELTFREUNDLICHES PRODUKT, DAS ZUM ERREICHEN DER PUNKTE FÜR DIE ZERTIFIZIERUNG NACH LEED (LEADERSHIP IN ENERGY AND ENVIROMENTAL DESIGN) BEITRÄGT.

LA SERIE TWIST PRESENTE DE CARACTERISTIQUES SPECIFIQUES DE DEVELOPPEMENT DURABLE; ELLE CONTRIBUS A OBTENIR DE CREDITS POUR LA CERTIFICATION LEED (LEADERSHIP IN ENERGY AND ENVIROMENTAL DESIGN).

TWIST ES UN PRODUCTO CON CARACTERÍSTICAS DE SOSTENIBILIDAD MEDIOAMBIENTAL ESPECIALES, QUE FACILITA LA OBTENCIÓN DE PUNTOS PARA LA CERTIFICACIÓN LEED (LEADERSHIP IN ENERGY AND ENVIRONMENTAL DESIGN) LIDERAZGO EN ENERGÍA Y DISEÑO AMBIENTAL.

TWIST - ЭТО ПРОДУКЦИЯ СО СПЕЦИАЛЬНЫМИ ХАРАКТЕРИСТИКАМИ ЭКОЛОГИЧЕСКОЙ ЭФФЕКТИВНОСТИ, ПОЗВОЛЯЮЩАЯ ПОЛУЧАТЬ ЗАЧЕТНЫЕ ОЧКИ ДЛЯ СЕРТИФИКАТА LEED (LEADERSHIP IN ENERGY AND ENVIROMENTAL DESIGN).



THANKS TO

NOBILIE

simas

YouTube




NovaBell®
Ceramiche Gruppo Bellei

NOVABELL SpA CERAMICHE ITALIANE
via Molino, 1 - 42014 Roteglia (RE), Italia
T +39 0536 86 11 11 - F +39 0536 85 12 05
info@novabell.it - export@novabell.it
www.novabell.it



CATALOGUE

CAT-TWT

